


Data Sheet
VES-MBW-WR187
Miter bend waveguide

Features

- Passband : Band Pass
- Passband Frequency Range : 3950 – 5850 MHz
- connector : WR187
- Material : Aluminum
- Size [mm] : 71,75x71,75x88,9
- Weight[g] : 200



Applications

- Power Amplifier (RF Amplifier)
- Power Adder or Divider
- C-Band Radar Systems
- Military and Satellite Communications Systems

Viet Electronic technology solutions (VIETES Co., Ltd)

For detailed performance specs & Shopping online see Vietes web site: www.Vietes.vn

Data Sheet
VES-MBW-WR187
Miter bend waveguide



Generic photo used for illustration purposes only

**Electrical Specifications at -
40°C to +85°C**



Description	Min.	Typ.	Max.	Unit
Passband Frequency Range	3950	-	5850	MHz
Insertion Loss		0.2		dB
VSWR			1.3	:1
Power handling			100	kW
size	47.55 × 22.15			mm

Viet Electronic technology solutions (VIETES Co., Ltd)


For detailed performance specs & Shopping online see Vietes web site: www.Vietes.vn

Typical Performance Data

Electrical schematic



Outline Drawing Dimensions (mm/[inch])



Contact us

VIET ELECTRONIC TECHNOLOGY SOLUTIONS (VIETES CO., LTD)

No. 79, Lane 193 Trung Kinh, Yen Hoa, Hanoi, Vietnam

www.vietes.vn

Email: [**info@vietes.vn**](mailto:info@vietes.vn)