

Data Sheet

VES-HPL-1015

HIGH POWER LOAD

WR75 50Ω 10-15 GHz




Features

- Extremely rugged high power loads
- Excellent Frequency Selectivity
- Low VSWR, 1.15:1 Max.
- Available with most common flanges
- Durability and Reliability

Applications

- Wireless communication
- Satellite communication
- WLAN/Wimax
- ISM band instrument
- Information System for
- Automotive Safety



Generic photo used for illustration purposes only

Electrical Specifications at 25° C

Parameter	Specification	Unit
Electrical Specifications		
Frequency Range	10-15	GHz
VSWR (Max)	1.15	:1
Power Handling (Design Guarantee)	1000 W (CW)	W
Operation temperature	-40°C~ +70 °C	°C
Storage Temperature	-55°C~+85°C	°C

Viet Electronic technology solutions (VIETES Co., Ltd)

For detailed performance specs & Shopping online see Vietes web site: www.Vietes.vn

Data Sheet

VES-HPL-1015

HIGH POWER LOAD

WR75 50Ω 10-15 GHz



Contact us

VIET ELECTRONIC TECHNOLOGY SOLUTIONS (VIETES CO., LTD)

No. 79, Lane 193 Trung Kinh, Yen Hoa, Hanoi, Vietnam.

www.vietes.vn

Email: info@vietes.vn

Viet Electronic technology solutions (VIETES Co., Ltd)

For detailed performance specs & Shopping online see Vietes web site: www.Vietes.vn